3801-2-S

Official Ballot Multnomah County, OR May 20, 2025



THIS IS NOT A REAL BALLOT. DO NOT USE TO VOTE.

Instructions To Voter	School District	Urban Flood Safety and Water
Use a blue or black pen. Completely fill in the oval to the left of your choice to be sure your	Portland School District 1J, Director, Zone 1 2-year Unexpired Term	Quality District For information on position terms: multco.us/UFSWQD
vote will be counted. To add a candidate who is not on the	Vote for One Christy Splitt	Urban Flood Safety and Water Quality District, Director, Position 1 Vote for One
ballot, fill in the oval to the left of the write-in line <u>and</u> write the candidate's	◯ Ken Cavagnolo	◯ Lori Stegmann
name on the line.	Anton D Leof	◯ Leo Morley
• Attention	Write-In	Write-In
Remember to inspect your ballot for mistakes! If you make a mistake or damage your ballot, visit MultnomahVotes.gov or call (503) 988-	Portland School District 1J, Director, Zone 4 Vote for One	Urban Flood Safety and Water Quality District, Director, Position 2 Vote for One
VOTE (8683).	Herman Greene	Ariana Johnson
0	Rashelle Chase-Miller	Write-In
• Check for Errors	Write-In	Urban Flood Safety and Water Quality
If you vote for more options than allowed, your vote will not count for that contest.	Portland School District 1J, Director, Zone 5 Vote for One	District, Director, Position 3 Vote for One
Community College District	vote for one	Kayla Drozd Calkins
community conege district	Jorge Sanchez Bautista	- Write-In
Portland Community College, Director, Zone 1 Vote for One	○ Virginia La Forte ○ Write-In	Urban Flood Safety and Water Quality District, Director, Position 4 Vote for One
Laurie J Cremona Wagner	Portland School District 1J, Director, Zone 6	Nic Lane
Write-In	Vote for One	Nic Lane
Education Service District	Rob Galanakis	Write-In
Multnomah Education Service District, Director, Position 2, At-Large Vote for One	Stephanie Engelsman Simone Crowe	Urban Flood Safety and Water Quality District, Director, Position 5 Vote for One
Rebecca Yeaman	◯ Joseph Mains	Erich Mueller
■ Crica Fuller	Write-In	Write-In
■ Susie Jones	Water District	mic iii
Kevin Micheal Butler	Alto Park Water District,	
Write-In	Commissioner, Position 2 Vote for One	
	◯ Kristi Easterlin	
-	Write-In	
•	Alto Park Water District, Commissioner, Position 4 Vote for One	
•	Gregory Herrenbruck	
"	Write-In	
	Review Both Sides -	
• Warning		
Any person who, by use of force or other me from voting is subject to a fine. (ORS 254.47	eans, unduly influences an elector to vot 70)	e in any particular manner or to refrain

	26-259
	Bonds to Improve Health, Safety, and Learning; Modernize, Repair Schools
	Question: Shall Portland Public Schools repair, modernize schools; increase health, safety; by issuing bonds estimated to maintain current tax rate?
	If the bonds are approved, they will be payable from taxes on property or property ownership that are not subject to the limits of sections 11 and 11b, Article XI of the Oregon Constitution.
	Summary: Measure authorizes up to \$1.83 billion in principal amount of general obligation bonds for facilities and education investments.
•	If approved, this measure would finance capital costs, including:
	Update, Repair Aging Elementary and Middle Schools: · Update/replace major building systems, including roofs, siding, heating/cooling
	Make Schools Safe and Secure: · Update safety, security systems · Seismic upgrades
	Modernize, Improve Educational Materials, Technology and Schools: • Renovate/replace schools, including Cleveland, Ida B. Wells (formerly Wilson) • Upgrade curriculum materials, technology, including student devices
	Increase Extracurricular Opportunities: · Upgrade/expand high school athletic facilities; create district-wide athletic hubs at Jackson, Marshall · Update high school performing arts/theater facilities
	Requires community accountability/oversight; independent audits of projects and expenditures
1	Bonds may be issued in one or more series, each series maturing in 30 years or less.
	Due to declining debt service, measure is not expected to increase PPS's bond tax rate above \$2.50/\$1,000 assessed value, the rate that has been targeted since 2017 bond. Actual rates may differ based on interest rates and changes in assessed value.
J	