



MULTNOMAH COUNTY  
LAND USE & TRANSPORTATION  
1600 SE 190<sup>TH</sup> Ave, Ste 116, Portland OR 97233  
Ph. 503.988.3043 Fax 503.988.3389  
http://www.multco.us/landuse

**NSA  
Residential  
Expedited  
Application**

### PROPERTY

Address 32080 NE Hurst Rd Site Size 3.67

### PROPOSED DEVELOPMENT (check all that apply)

- ☐ **Addition or covered deck:** Size \_\_\_\_\_ (200 sf max) Height \_\_\_\_\_ ft  
Existing Floor Area \_\_\_\_\_ (500 sf min) Existing Height \_\_\_\_\_ ft (greater than proposed)
- ☐ **Accessory structure:** Size 14'x14' (60 to 200 sf) Height 10 ft (10 ft max)
- ☐ **Uncovered, attached deck:** Size \_\_\_\_\_ (500 sf max) Height \_\_\_\_\_ inches (30" max)
- ☐ **Demolition:** Structure Type \_\_\_\_\_ Age \_\_\_\_\_ (less than 50 yrs)
- ☐ **Rail, solid, or semi-solid fence:** Height \_\_\_\_\_ ft (6' max) Length \_\_\_\_\_ (100' max)
- ☐ **Wire strand fence:** Height \_\_\_\_\_ ft (greater than 4') Length \_\_\_\_\_ (greater than 500')
- ☒ **Woven wire fence:** Agricultural enclosure only Area fenced 2.14 (80 ac max)
- ☐ **Pave existing dirt/gravel road:** All work to occur within existing road prism
- ☐ **Decommission non-paved road:** Includes ripping road surface, barriers, revegetation
- ☐ **Retaining wall:** Height \_\_\_\_\_ ft (2' max exposed surface) Length \_\_\_\_\_ (100' max)
- ☐ **Outdoor lights:**
- ☐ **Other:** \_\_\_\_\_

### APPLICANT

Name DALE BURKHOLDER Phone 503-830-8614  
Mailing Address PO Box 305 Fax 503-492-8472  
City Corvallis State OR Zipcode 97331 e-mail \_\_\_\_\_

### OWNER

Name James & Teresa Reiden Phone 503-695-3486  
Street Address 32080 NE Hurst Rd City Trousdale State OR Zipcode 97106

I authorize the applicant to make this application.

James & Teresa Reiden  
Property Owner Signature

NOTE: By signing this form, the property owner or property owner's agent is granting permission for Planning Staff to conduct site inspections on the property.

☐ If no owner signature above, a letter of authorization from the owner is required.

For Staff Use

502964  
CASE  
NUMBER

TL 2013.2941

State ID #

IN4E32A.2000

Alt Acct. #

R 053504110

DATE  
SUBMITTED

ZONING

GGR 10

MCC CITATION  
(For Qualifying Use)

MCC 38.1010(A)(1) (5)

Related Case No

T2.2011.1422

Open UR/ZV

rev. 08/2012

## Instructions for applicants:

The checklist below asks you to confirm facts or conditions related to your property and your proposal. The numbered paragraphs in bold represent code requirements or criteria for development in the National Scenic Area (NSA). Those criteria are addressed when you check a box below each numbered paragraph. By checking a box, you are confirming that the corresponding statement applies to your project. Staff concurrence is indicated by initials in the boxes along the right column of this form. Please ensure that you check a box under every numbered paragraph or staff will not be able to process this application under the Expedited Review Process. The NSA Handout #4: Expedited Development Review Process that accompanies this form explains each of the criteria.

### Scenic Resources

- 1. In the General Management Area, the scenic resource protection criteria shall not apply to woven-wire fences for agricultural use that would enclose 80 acres or less.**

Staff initial:

*LR*

- ☒ This application includes new woven-wire fencing on property that is within the General Management Area (i.e. it is in a zone district that begins with "GG") and the fencing is for agricultural use and encloses an area that is less than 80 acres in size. *The scenic resource criteria do not apply to the new woven wire fence.*

[Proceed to the Recreational Resource criteria (page 4) if this application is only for fencing. Otherwise, respond to the remaining scenic criteria for other uses or development that are eligible for expedited review.]

- ☐ This application is not for new woven wire fencing. *The scenic resources criteria are applicable.*

- 2. The colors of structures topographically visible from key viewing areas shall be dark earth-tones found at the specific site or the surrounding landscape. The specific colors or list of acceptable colors shall be included as a condition of approval. This guideline shall not apply to additions, which may match the color of existing buildings.**

Staff initial:

*LR*

- ☐ The application is for an addition to or modification of an existing structure, or placement of a new structure that is not topographically visible from a Key Viewing Area (KVA). The KVA(s) the structure is visible from are \_\_\_\_\_. The attached site plan illustrates how the structure is topographically screened from these KVA(s). *This criterion has been met.*

See NSA  
Handout #4:  
Expedited  
Development  
Review  
Process, for  
list of KVAs

Note to applicant: Show on the site plan the location of the terrain feature or landform that screens the structure with arrows identifying the vantage point from which the site is viewed from the KVA(s).

Attach plan

- ☒ The application is for an addition. As shown in the attached color chip and site photograph, the addition will match the color of the existing buildings. *This criterion has been met.*

Attach color  
chip & photo  
of existing  
building



- ☒ The application is for an addition to or modification of an existing structure, or placement of a new structure that is topographically visible from one or more key viewing areas. As shown in the attached color chip and site photograph, the proposed addition will be dark earth tones that are found at the site or surrounding landscape. *This criterion has been met.*

Attach color chip(s) & photo(s) of structure & surrounding landscape

3. Structures topographically visible from key viewing areas shall use low or non-reflective building materials, including roofing, gutters, vents, and chimneys.

Staff initial:

LE

- ☒ The application does not involve a structure that is topographically visible from a key viewing area. *This criterion has been met.*

- ☒ The application includes structure(s) that are topographically visible from one or more key viewing areas. As shown in the attached samples, the proposed structure(s) will use low or non-reflective building materials. *This criterion has been met.*

Attach building material samples

4. Outdoor lights shall be directed downward and sited, hooded, and shielded such that they are not highly visible from key viewing areas. Shielding and hooding materials shall be composed of non-reflective, opaque materials.

Staff initial:

LE

- ☒ The application does not include outdoor lights. *This criterion is not applicable.*

- ☐ The application includes outdoor lights. As shown in the attached specification sheet, the proposed lights will be hooded and shielded and are composed of non-reflective, opaque materials. A site plan and/or elevation drawings shows the location of the lighting. Based on these drawings the lighting will not be highly visible from key viewing areas. *This criterion has been met.*

Attach spec sheet here

5. Structures within 1/2-mile of a key viewing area and topographically visible from the key viewing area shall be sited, screened and/or designed to achieve the applicable scenic standard (e.g., visual subordination, not visually evident).

Staff initial:

LE

- ☒ The application does not involve a structure that is within 1/2-mile of and topographically visible from a key viewing area. *This criterion is not applicable.*

- ☐ The application includes structure(s) that are within 1/2-mile of and topographically visible from (a) key viewing area(s). As shown on the attached site plan, and exterior architectural elevations or rendered photo, the proposed structure(s) will be sited, screened, and/or designed so that it achieves the standard of: ☐ visual subordination, or ☐ not visually evident

Attach elevations or photo of structure

Explain how standard is achieved.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_ *This criterion has been met.*

See NSA Handout #5: Designing for Approval

## Recreation Resources

6. The development shall not detract from the use and enjoyment of established recreation sites on adjacent parcels.

Staff initial:

*fec*

- ☒ The attached site plan labels the uses on adjacent parcels. There is no established recreation site on an adjacent parcel. *This criterion is not applicable.*
- ☐ The attached site plan labels show that the property is adjacent to at least one established recreation site, but does not detract from the use and enjoyment of the site. The proposed development will not generate noise, dust, or odors at levels significant enough to impact the use. Also, the site plan shows that the proposed development would not interfere with access to the adjacent recreation site(s). *This criterion has been met.*

*Label adjacent uses on attached site plan*

## Cultural Resources

7. The expedited development review process shall only be used to review proposed development that does not require a reconnaissance survey or historic survey.

Staff initial:

*ZE*

Note to applicant: If an Indian tribe sends a letter in response to the application indicating that the proposal affects a treaty right or cultural resource, then the application can not be reviewed using the expedited development review process.

### Reconnaissance Survey

Proposed development does not require a reconnaissance survey if it meets any of the following (check at least one that applies):

- ☐ Is limited to the modification, expansion, replacement, or reconstruction of existing buildings and structures.
- ☒ Will not disturb the ground (e.g. storage shed without a foundation)
- ☐ Occurs on a site that was previously disturbed by human activities where the depth and extent of the grading does not exceed prior ground disturbance.
- ☒ Involves minor ground disturbance, as defined by depth and extent (e.g. fence construction, footings for a deck, etc.)

Width 4" x 4" x Length 8' - 12' x Depth 2'

Note to applicant: The project will not qualify for expedited review if the Gorge Commission disagrees that the activity results in minor disturbance.

- ☒ Occurs on a site that has been adequately surveyed in the past, or has been identified by the Gorge Commission, USFS Archaeologist, or private archaeologist as having a low probability of containing cultural resources.

*Show area and type of disturbance on plan*

*Attach survey*

*This criterion has been met.*



## Historic Survey

A historic survey is not required for the following activities (check at least one):

- ☒ There are no structures 50 years old or older on the property.
- ☐ There is/are structures 50 years old or older; however, the application does not alter the structure(s), nor does it compromise features of the surrounding area that help define the historic character of the structure(s).

*This criterion has been met.*

---

## Natural Resources

---

**8. The development is outside buffer zones for wetlands, streams, rivers, ponds, and lakes. This guideline shall not apply to development located inside road, utility or railroad rights-of-way or easements that have been previously disturbed and regularly maintained.**

- ☐ The proposal is for development located inside road, utility or railroad rights-of-way or easements that have been previously disturbed and regularly maintained. *This criterion is not applicable.*

- ☒ As shown on the attached site plan, proposed development is outside buffer zones for wetlands, streams, rivers, ponds, and lakes. *The criterion has been met.*

**9. The development will not adversely impact sensitive wildlife or plant species or is at least 1,000 feet from known sensitive wildlife areas or sites (excluding sensitive aquatic species, deer winter range, and turkey habitat) and known sensitive plants. This guideline shall not apply to development that does not disturb the ground or is located inside road, utility or railroad rights-of-way or easements that have been previously disturbed and regularly maintained.**

- ☒ As shown on the attached site plan and confirmed by planning staff, the proposed development is over 1,000 feet from known sensitive wildlife areas or sites (excluding sensitive aquatic species, deer winter range, and turkey habitat) and known sensitive plants. *This criterion has been met.*

- ☐ The proposed development does not disturb the ground or is inside road, utility or railroad rights-of-way or easements or other areas that have been previously disturbed and regularly maintained. *This criterion is not applicable.*

- ☐ Although proposed development is within 1,000 feet of a known sensitive wildlife area or site, the Oregon Department of Fish and Wildlife (for GMA lands) or U.S. Forest Service (SMA lands) has determined that the area or site is not active, that development will not compromise the integrity of the wildlife area or site, or that development will not occur during a time of year that the wildlife species are sensitive to disturbance.

- ☐ Although proposed development is within 1,000 feet of known sensitive plants, a representative of the Oregon Natural Heritage Program or an expert in botany or plant ecology has determined that development will not occur within 200 feet of a sensitive plant species.

Staff initial:

*LE*

*Show rights-of-way or easement boundary on site plan*

Staff initial:

*LE*

*See land use staff for agency contacts*

*Attach agency confirmation*

## NOTICE OF PRELIMINARY DECISION

In accepting this application for expedited review, the Planning Director is granting preliminary approval of the development. The Gorge Commission, U.S. Forest Service, Indian tribal governments, and property owners within 750 feet of the subject tract will be given 14 days to provide comments. If no comments are received, the decision shall become final at the close of business on the 14<sup>th</sup> day. If substantive written comments are submitted, the Planning Director will either modify the decision to address the comments and re-issue it for a 14-day appeal period or re-direct the application to full review if comments establish that the proposed development is not eligible for expedited review.

Comments must be directed to the applicable approval criteria. Those in **bold** above are listed in MCC 38.7100 of the County code. Failure to provide comments during the comment period will preclude a right to appeal.

### Conditions/Limitations of Approval

1. If, during construction, cultural or historic resources are discovered, the applicant/owner shall immediately cease development activities and inform the Multnomah County Land Use Planning Division, Columbia River Gorge Commission, and the U.S. Forest Service of any discovery pursuant to MCC 38.7045(L) & (M), or MCC 38.7050(H) as applicable. Once halted, construction activities shall not resume until these standards have been satisfied.
2. Approval of this land use permit is based upon the statements made in this application and attached materials. No work shall occur under this permit other than that which is specified in these documents.
3. Development of structures must be commenced within 2 years of the date of this decision, and completed within 2 years of the date of commencement. The property owner may request an extension of either of these timeframes, as provided in MCC 38.0700. Such a request must be made prior to expiration of the permit.

This decision is final at the close of the comment period unless comments are received. If no comments are received, the effective date of the decision is July 5, 2013.

### FOR STAFF USE

At close of the comment period (check one that applies):

- ☒ No substantive written comments were received. The decision is final.
- ☐ Substantive written comments were received. The Planning Director will issue a letter addressing the comments and may modify this preliminary decision.
- ☐ Written comments were submitted showing that the proposed development is not eligible for expedited review. The project will be reviewed using the full development review process.

Staff initial:

JA

Date:

7/6/13

Any comments received are included in the County records for this application.

☐ Fill out NSA DR Database Form for Gorge Commission and include copy with file.

RECEIVED


13 JUN 18 PM 1:38

PLANNING SECTION

Dwellings

Dwellings

Dwellings



32080

NE HURT

TRENTON

OR 77060

\* GREEN METAL POSTS


o ROUND WOOD POSTS

1" = 100'

Dwelling





[Home](#) > [Farm & Livestock](#) > [Fence & Fence Supplies](#) > [Farm & Garden Fence](#) > [Field Fence](#)[View Larger](#)

2

**G&B 11 Gauge Farm Gard Field Fence**

Blain # 025368 | Mfr # 348124B

(No reviews) [Be the first to Write a Review](#)Select Material Type: 9 line wires **\$168.88**Quantity: 1☒ **Ship this Item - Limited Availability**  
Ships to an address via FedEx, USPS or Ground Freight.☐ **FREE In-Store Pick-up - Check Store Availability**[Add to Cart](#)[Add to Gift Registry](#)[Email to a Friend](#)RECEIVED  
13 JUN 18 PM 1:38  
PLANNING SECTION[Overview](#)[Customer Reviews](#)[Specifications](#)

Look no further if you are in need of general purpose farm fencing. G&B 11 Gauge Farm Gard Field Fence is the perfect fence for line fences and protecting crops from large animals, such as horses and other livestock. Galvanized for long life, G&B 11 Gauge Farm Gard Field Fence is made to stand up to day to day life on the farm.

- The G&B 39 in. x 330 ft. Farm Gard Field Fence is made of galvanized steel for durability and features 3 wraps on the top and bottom wire to help provide maximum strength.
- Special expansion crimps enable the fence to expand and contract with weather changes and to stretch and conform to land contours.
- The multi - purpose fence is suitable for corralling livestock.
- Graduated height of vertical wire openings prevents animal hooves from stepping through.
- 11 gauge woven galvanized steel construction for maximum strength and durability
- Silver metallic multi - purpose field fence is suitable for corralling livestock
- Special expansion crimps enable the fence to expand and contract with weather changes and to stretch and conform to land contours
- 3 wraps of wire on the top and bottom wire provide maximum strength.

**Other products you might like...**

SpeeCo Barbed Wire Carrier

**\$4.99**Midwest Air Technologies 15.5  
Gauge Hi Tensile Barbed WireFrom **\$32.88**Red Brand 11 Gauge Wire  
Field FenceFrom **\$229.99**Red Brand Barbless Twisted  
Barb Wire**\$59.99**Midwest Air Technologies 12.5  
Gauge Barbed WireFrom **\$48.88**



[Home](#) > [Farm & Livestock](#) > [Fence & Fence Supplies](#) > [Farm & Garden Fence](#) > [Field Fence](#)[View Larger](#)

0

## Red Brand 12.5 Gauge Wire Field Fence

Blain # 783284 | Mfr # 70206

(No reviews) [Be the first to](#) [Write a Review](#)Select Height:  **\$159.99**Quantity: ☒ **Ship this Item - Available**  
Ships to an address via FedEx, USPS or Ground Freight.☐ **FREE In-Store Pick-up - Check Store Availability**[Add to Cart](#)[Add to Gift Registry](#)[Email to a Friend](#)RECEIVED  
13 JUN 18 PM 1:38  
MULTI-PURPOSE  
PLANNING SECTION[Overview](#)[Customer Reviews](#)[Specifications](#)

Keep unwanted visitors out and your own animals in with Red Brand Wire Fencing. This durable wire fencing is sure to deter anyone or anything from getting past your fence and onto your property. Proudly made in the USA, this wire fencing is also great for coralling animals. Protect your investment with Red Brand Wire Fencing.

- Proudly made in the USA
- Fence designed to handle the tough task of coralling large animals
- Special crimps allow the fence to expand and contract as temperatures rise and fall


### Other products you might like...

SpeeCo Barbed Wire Carrier

**\$4.99**Midwest Air Technologies 15.5  
Gauge Hi Tensile Barbed WireFrom **\$32.88**Red Brand 11 Gauge Wire  
Field FenceFrom **\$229.99**Red Brand Barbless Twisted  
Barb Wire**\$59.99**Midwest Air Technologies 12.5  
Gauge Barbed WireFrom **\$48.88**

[Home](#) > [Farm & Livestock](#) > [Fence & Fence Supplies](#) > [Farm & Garden Fence](#) > [Rail Gates](#)**Behlen Country Six Rail Heavy Duty Farm Gate**

Blain # 226506 | Mfr # 40120162

[\(1 review\)](#) [Read 1 Review](#) [Write a Review](#)[Add to Gift Registry](#)[Email to a Friend](#)Select Length: 16' **\$159.99**Quantity: 1 ☒ **Ship this Item - Available**  
Ships to an address via FedEx, USPS or Ground Freight.☐ **FREE In-Store Pick-up - Check Store Availability****Add to Cart**[View Larger](#)

2

[Overview](#)[Customer Reviews](#)[Specifications](#)

Tough enough to stand up against abuse from both weather and animals, this Behlen Country Six Rail Heavy Duty Gate features 16 gauge heavy duty 50" high tube gates and 2" steel tubing that is made to last. All horizontal tubes are welded completely around the joints to the gate frame and are supported on longer gates with vertical "Z" braces. The Behlen Country Six Rail Heavy Duty Gate comes with hinges, bolt hooks, and latch chains, making it easier for you to fortify your farm.

- All gates are 4" less than listed length to allow for gate hardware and proper clearance
- Quality construction steel tubing
- Designed to take rugged abuse from both animals and the elements
- Completely welded
- Supported with vertical "Z" braces
- Comes with hinges, bolt hooks, and latch chains
- Finished with premium powder coat paint, a full bake polyester power unmatched against tough outdoor conditions

**Other products you might like...**


Behlen Country Horse Panel

**\$84.99**Behlen Country Hot - Dipped  
Galvanized Fence Panel**\$27.99**Behlen Country Hot - Dipped 5  
Gauge Galvanized Fence  
Panel**\$22.99**Behlen Country Entrance  
Panel**\$259.99**

Behlen Country Corral Panel

**\$139.99**RECEIVED  
13 JUN 18 PM 1:39  
PLA PLAINVILLE  
PLA PLAINVILLE



[Home](#) > [Farm & Livestock](#) > [Fence & Fence Supplies](#) > [Farm & Garden Fence](#) > [Rail Gates](#)**Behlen Country Six Rail Heavy Duty Farm Gate**

Blain # 226501 | Mfr # 40120062

[\(1 review\)](#) [Read 1 Review](#) [Write a Review](#)Select Length: **\$84.99**Quantity: ☒ **Ship this Item - Available**  
Ships to an address via FedEx, USPS or Ground Freight.☐ **FREE In-Store Pick-up - Check Store Availability****Add to Cart**[Add to Gift Registry](#)[Email to a Friend](#)[Overview](#)[Customer Reviews](#)[Specifications](#)

Tough enough to stand up against abuse from both weather and animals, this Behlen Country Six Rail Heavy Duty Gate features 16 gauge heavy duty 50" high tube gates and 2" steel tubing that is made to last. All horizontal tubes are welded completely around the joints to the gate frame and are supported on longer gates with vertical "Z" braces. The Behlen Country Six Rail Heavy Duty Gate comes with hinges, bolt hooks, and latch chains, making it easier for you to fortify your farm.

- All gates are 4" less than listed length to allow for gate hardware and proper clearance
- Quality construction steel tubing
- Designed to take rugged abuse from both animals and the elements
- Completely welded
- Supported with vertical "Z" braces
- Comes with hinges, bolt hooks, and latch chains
- Finished with premium powder coat paint, a full bake polyester powder unmatched against tough outdoor conditions

**Other products you might like...**


Behlen Country Horse Panel

**\$84.99**Behlen Country Hot - Dipped  
Galvanized Fence Panel**\$27.99**Behlen Country Hot - Dipped 5  
Gauge Galvanized Fence  
Panel**\$22.99**Behlen Country Entrance  
Panel**\$259.99**

Behlen Country Corral Panel

**\$139.99**

RECEIVED  
13 JUN 18 PM 1:39  
BLAIN COUNTRY  
PLANNING SECTION

[Home](#) > [Farm & Livestock](#) > [Fence & Fence Supplies](#) > [Fence Posts & Accessories](#) > [T-Posts](#)
[View Larger](#)

0

**Chicago Heights Steel Studded T Post**

Blain # 004371 | Mfr # FRPT125000050G4N

(No reviews) [Be the first to Write a Review](#)Select Length: **\$3.59**Quantity: 
☒ **Ship this Item - Limited Availability**  
 Ships to an address via FedEx, USPS or Ground Freight.

☐ **FREE In-Store Pick-up - Check Store Availability**
[Add to Cart](#)[Add to Gift Registry](#)[Email to a Friend](#)

RECEIVED  
 13 JUN 18 PM 1:39  
 HILL COUNTY  
 PLANNING SECTION

[Overview](#)[Customer Reviews](#)[Specifications](#)[Projects](#)

Durable enough to last for generations, Midwest Air Technologies Studded T Posts can be driven into almost any type of terrain on the farm, job site, or around the yard. They can be easily installed with a post driver in terrain where it would be near to impossible to dig a hole for a wooden post. They are made of rail steel, giving them the same combination of strength and resiliency as the support rails for train tracks. Save yourself time, frustration, and money - use Midwest Air Technologies Studded T Posts for all your fencing needs.

- 5 T Post Clips are included
- Posts in the classic studded tee design
- Outstanding strength characteristics for the toughest fencing applications
- Great on the farm, at commercial or industrial sites, and for yards and gardens at home
- Made from rail steel
- Posts have the same combination of strength and resiliency as support rails for train tracks
- Minimum yield point of 50,000 PSI and an ultimate tensile strength greater than 80,000 PSI
- Weather resistant by an industrial quality finish coat of paint

**Other products you might like...**Common Sense Fence 11/16"  
Fiberglass Electrical Fence  
Post**\$5.99**Mazel & Co. Heavy Duty  
U-PostFrom **\$4.49**Common Sense Fence 3/8"  
Fiberglass Fence Post**\$1.29**


SpeeCo Manual T - Post Puller

**\$44.99**

Hartbrand Corner U - Brace

**\$21.99**



[Home](#) > [Farm & Livestock](#) > [Fence & Fence Supplies](#) > [Fence Posts & Accessories](#) > [Wood Posts & Accessories](#)[View Larger](#)

0 *Round wood  
Post.*

## Hartbrand 8' Round Post

Blain # 239368 | Mfr # 4.5X8

(No reviews) [Be the first to](#) [Write a Review](#)Select Diameter: **\$11.29**Quantity: ☒ **Ship this Item - Limited Availability**  
Ships to an address via FedEx, USPS or Ground Freight.☐ **FREE In-Store Pick-up - Check Store Availability**[Add to Cart](#)[Add to Gift Registry](#)[Email to a Friend](#)

RECEIVED  
13 JUN 18 PM 1:39  
MULTI-MEDIA COUNTY  
PLANNING SECTION

[Overview](#)[Customer Reviews](#)[Specifications](#)

- Pressure - treated posts use Penta - In - Oil, an EPA - approved commercial preservative
- Advanced pressure process ensures uniform quality of treatment that consistently meets or exceeds industry standards for ground contact applications
- Extra - long heavy duty line post or wood corner brace
- 25 year warranty

### Other products you might like...


Common Sense Fence 11/16"  
Fiberglass Electrical Fence  
Post**\$5.99**Mazel & Co. Heavy Duty  
U-PostFrom **\$4.49**Common Sense Fence 3/8"  
Fiberglass Fence Post**\$1.29**Chicago Heights Steel Studded  
T PostFrom **\$3.59**

SpeeCo Manual T - Post Puller

**\$44.99**

43060 NE HUNT RD  
TROUTMAN, OR

RECEIVED  
13 JUN 18 PM 1:39  
HILLMAN COUNTY  
PUBLIC WORKS SECTION



FROM  
TO BE AMERICAN DRIVE  
BRAIN STAVE AS HOUSE  
B-13 COR CRACK  
POLE TYPE  
CONSTRUCTION