4807-1-S

## Official Ballot Multnomah County, OR May 20, 2025



## THIS IS NOT A REAL BALLOT. DO NOT USE TO VOTE.

Instructions To Voter	School District	Water District
Use a blue or black pen.  Completely fill in the oval to the left of your choice to be sure your vote will be counted.	Centennial School District 28J, Director, Position 3, Zone 3 Vote for One	Sunrise Water Authority, Director, Zone 5 Vote for One
To add a candidate who is not on the ballot, fill in the oval to the left of the write-in line <u>and</u> write the candidate's name on the line.	William Mohring  Write-In	Kevin O'Meara  Write-In
• Attention	Centennial School District 28J, Director, Position 6, At-Large Vote for One	
Remember to inspect your ballot for mistakes! If you make a mistake or damage your ballot, visit MultnomahVotes.gov or call (503) 988-VOTE (8683).	Michael Newman     Hayden Collier     Carol Carroll	
<b>O</b> Check for Errors	<ul><li>Durrell Javon Kinsey Bey</li><li>SaQuoija Allen</li></ul>	
If you vote for more options than allowed, your vote will not count for that contest.	Centennial School District 28J, Director, Position 7, At-Large	
Education Service District	Vote for One	
Multnomah Education Service District, Director, Position 2, At-Large Vote for One	◯ Pam Shields ◯ Rudie Watzig	
Rebecca Yeaman	Write-In	
Erica Fuller	Fire District	
Susie Jones Kevin Micheal Butler	Multnomah Rural Fire Protection District 10, Director, Position 1 Vote for One	
Multnomah Education Service District, Director, Position 4, Zone 4 Vote for One	David A Persons     Write-In	
Jessica Arzate	Multnomah Rural Fire Protection District 10, Director, Position 3 Vote for One	
School District	Charles Ciecko	
Centennial School District 28J, Director, Position 1, Zone 1 Vote for One  David Linn	Multnomah Rural Fire Protection District 10, Director, Position 5 Vote for One	
Write-In	Bob Battles  Write-In	
• •	Review Both Sides 🗪	

Any person who, by use of force or other means, unduly influences an elector to vote in any particular manner or to refrain from voting is subject to a fine. (ORS 254.470)

Urban Flood Safety and Water Quality District For information on position terms:	Mt. Hood Community College Measure	
urban Flood Safety and Water Quality District, Director, Position 1 Vote for One	26-258 Bonds updating career education, increasing safety, security; repairing aging facilities.	
Lori Stegmann Leo Morley Write-In	<b>Question:</b> Shall College update vocational facilities; improve accessibility, safety, security; repair buildings; issue \$136.445 million in bonds; citizen oversight, audits required?	
Urban Flood Safety and Water Quality District, Director, Position 2 Vote for One	If the bonds are approved, they will be payable from taxes on property or property ownership that are not subject to the limits of sections 11 and 11b, Article XI of the Oregon Constitution.	
Ariana Johnson  Write-In  Urban Flood Safety and Water Quality District, Director, Position 3  Vote for One  Kayla Drozd Calkins  Write-In  Urban Flood Safety and Water Quality District, Director, Position 4	Summary: Mt. Hood Community College seeks approval for bonds in a maximum principal amount of \$136.445 million to finance capital costs, including:  Expanding Career Education Facilities & Meeting Growing Demand  • Repurpose existing space to create Center for Health Professions training health care professionals such as nurses, surgical technicians, respiratory therapists, and mental	
Vote for One  Nic Lane  Write-In	health counselors. Renovate classroom technology to serve online and hybrid learning.  Improving Community Access Community pool improvements, including a retractable pool cover for	
Urban Flood Safety and Water Quality District, Director, Position 5 Vote for One  Erich Mueller	year-round use, increasing opportunities for community use such as swim lessons and local events. • Increased accessibility.	
Write-In	Securing Campus • Enhancing safety with improved lockdown capabilities, fire, seismic retrofits.	
	Repairing Aging Facilities  · Updating aging systems in 1970's era buildings, including roofs, siding, flooring, HVAC and electrical.  · Site improvements, demolition, furnishings, equipment, issuance costs.  · State expected to provide \$8 million in matching funds.  Bonds may be issued in multiple series, maturing within 21 years from issuance. Levy rate estimated at \$0.25 per \$1,000 assessed value. Actual levy rates may differ due to changes in interest rates at issuance or assessed property value.	
•		
	Peview Roth Sides	