5009-2-S

Official Ballot Multnomah County, OR May 20, 2025



THIS IS NOT A REAL BALLOT. DO NOT USE TO VOTE.

Instructions To Voter	School District	Water District
Use a blue or black pen. Completely fill in the oval to the left of your choice to be sure your vote will be counted.	Gresham-Barlow School District 10J, Director, Position 3, Zone 2 Vote for One	Lusted Water District, Commissioner, Position 2 Vote for One
To add a candidate who is not on the ballot, fill in the oval to the left of the write-in line <u>and</u> write the candidate's name on the line.	Brenna Puderbaugh Write-In	Joel Arken Write-In
9 Attention	Gresham-Barlow School District 10J, Director, Position 4, At-Large Vote for One	Lusted Water District, Commissioner, Position 4 Vote for One
Remember to inspect your ballot for mistakes! If you make a mistake or damage your ballot, visit MultnomahVotes.gov or call (503) 988- VOTE (8683).	Holly Riegelmann Write-In	Scott Ellis Write-In
• Check for Errors	Gresham-Barlow School District 10J, Director, Position 5, Zone 4 Vote for One	
If you vote for more options than allowed, your vote will not count for that contest.	Blake Petersen	
Community College District	Gresham-Barlow School District 10J,	
Mt Hood Community College, Director, Zone 2 Vote for One William Miller	Director, Position 6, At Large Vote for One Heather Coleman-Cox Stefanie Craft	
Write-In	Write-In	
Education Service District	Fire District	
Multnomah Education Service District, Director, Position 2, At-Large Vote for One	Multnomah Rural Fire Protection District 10, Director, Position 1 Vote for One	
Rebecca Yeaman	O David A Persons	
Erica Fuller	- Write-In	
Susie Jones Kevin Micheal Butler	Multnomah Rural Fire Protection District 10, Director, Position 3 Vote for One	
Multnomah Education Service District, Director, Position 1, Zone 5 Vote for One	Charles Ciecko Write-In	
Amanda Squiemphen-Yazzie	Multnomah Rural Fire Protection District 10, Director, Position 5 Vote for One	
Write-In	Bob Battles Write-In	
I -		•
	Review Both Sides 🗪	
9 Warning		

Any person who, by use of force or other means, unduly influences an elector to vote in any particular manner or to refrain from voting is subject to a fine. (ORS 254.470)

Urban Flood Safety and Water Quality District For information on position terms:	Mt. Hood Community College Measure	
Urban Flood Safety and Water Quality District, Director, Position 1 Vote for One	26-258 Bonds updating career education, increasing safety, security; repairing aging facilities.	
□ Lori Stegmann□ Leo Morley□ Was Is	Question: Shall College update vocational facilities; improve accessibility, safety, security; repair buildings; issue \$136.445 million in bonds; citizen oversight, audits required?	
Urban Flood Safety and Water Quality District, Director, Position 2 Vote for One	If the bonds are approved, they will be payable from taxes on property or property ownership that are not subject to the limits of sections 11 and 11b, Article XI of the Oregon Constitution.	
Ariana Johnson Write-In Urban Flood Safety and Water Quality District, Director, Position 3 Vote for One Kayla Drozd Calkins Write-In Urban Flood Safety and Water Quality District, Director, Position 4	Summary: Mt. Hood Community College seeks approval for bonds in a maximum principal amount of \$136.445 million to finance capital costs, including: Expanding Career Education Facilities & Meeting Growing Demand Repurpose existing space to create Center for Health Professions training health care professionals such as nurses, surgical technicians, respiratory therapists, and mental	
Vote for One Nic Lane Write-In	health counselors. Renovate classroom technology to serve online and hybrid learning. Improving Community Access Community pool improvements, including a retractable pool cover for	
Urban Flood Safety and Water Quality District, Director, Position 5 Vote for One Erich Mueller	year-round use, increasing opportunities for community use such as swim lessons and local events. • Increased accessibility. Securing Campus	
Write-In	Enhancing safety with improved lockdown capabilities, fire, seismic retrofits. Repairing Aging Facilities Updating aging systems in 1970's era buildings, including roofs, siding,	
	flooring, HVAC and electrical. · Site improvements, demolition, furnishings, equipment, issuance costs. · State expected to provide \$8 million in matching funds.	
	Bonds may be issued in multiple series, maturing within 21 years from issuance. Levy rate estimated at \$0.25 per \$1,000 assessed value. Actual levy rates may differ due to changes in interest rates at issuance or assessed property value.	
	Review Both Sides	