

MULTNOMAH COUNTY LAND USE PLANNING DIVISION

1600 SE 190TH Avenue Portland, OR 97233 PH: 503-988-3043 FAX: 503-988-3389 http://www.co.multnomah.or.us/dscd/landuse

GRADING AND EROSION CONTROL PERMIT

CASE FILE: T1-02-006 April 25, 2003

Request: Grading and Erosion Control Permit application for grading activities associated with

construction of a new SFR and driveway extension.

Location: 14651 NW Germantown Rd.

TL 600, Sec 8, T 1 N, R 1 W, W.M.

Tax Account #R961080440


Applicant: Mr. Roy Van Raden

Owner: Mr. Roy Van Raden

ORDINANCE REQUIREMENTS:

Applicable standards for this permit can be found in Chapter 29.300 et seq., Grading and Erosion Control Code of the Multnomah County Building and Specialty Codes, copies of which are available at our office.

MODIFICATIONS AND LIMITATIONS:



- 1. This permit is based on written narrative(s) and plan(s) provided by the applicant (attached). No development shall occur under this permit other than that which is specified within these documents. It shall be the responsibility of the property owner to comply with these documents and the limitations described herein.
- 2. The County may supplement described erosion control techniques if turbidity or other down slope erosion impacts result from on-site grading work. The Portland Building Bureau (Special Inspections Section), the local Soil and Water Conservation District, or the U.S. Soil Conservation Service can also advise or recommend measures to respond to unanticipated erosion effects.
- 3. On-site disposal of construction debris is not authorized under this permit. Spoil materials removed off-site shall be taken to a location approved for the disposal of such material by applicable Federal, State and local authorities.
- 4. Unless amended with a building permit issued by the City of Portland, the retaining wall(s) shall be constructed to the specifications prepared by Dirk Looijenng, P.E., dated 2-28, 2002 (attached).

T102006 Page 1 of 3

- 5. Fill materials shall be clean and non-toxic. This permit does not authorize dumping or disposal of hazardous or toxic materials, synthetics (i.e. tires), petroleum-based materials, or other solid wastes which may cause adverse leachates or other off-site water quality effects.
- 6. The property owner is responsible for removing any sedimentation caused by development activities from all neighboring surfaces and/or drainage systems. If any features within adjacent public right-of-way are disturbed, the property owner shall be responsible for returning such features to their original condition or a condition of equal quality.
- 7. The new residence shall be equipped with fire protection sprinklers as requested in the Fire District Review signed 4-19-00 (attached).
- 8. Once this decision becomes final, applications for building permits may be made with the City of Portland. When ready to have building permits signed off, call the Assistant Staff Planner, Adam Barber, at (503)-988-3043, for an appointment for review and approval of the conditions and to sign the building permit plans. Multnomah County must review and sign off building permit applications before they are submitted to the City of Portland. Five (5) sets each of the site plan and building plan are needed for building permit sign-off.

Prior to any land disturbing activities:

- 1. The property owner shall maintain best erosion control practices through all phases of development. Erosion control measures are to include the installation of sediment fences/barriers at the toe of disturbed areas and post construction re-establishment of ground cover. Straw mulch, erosion blankets, or 6-mil plastic sheeting shall be used as a wet weather measure to provide erosion protection for exposed soils. All erosion control measures are to be implemented as prescribed in the current edition of the *Erosion Prevention Sediment Control Plans Technical Guidance Handbook*, copies of which are available for purchase at our office, our through the City of Portland. The property owner shall verify that all erosion control measures are properly installed and in working order prior to initiating grading activities.
- 2. The erosion control permit notice (attached) is to be posted at the driveway entrance gate at NW Germantown Road in a clearly visible location (print towards Germantown Road). This notice is to remain posted until such time as the grading work is completed. In the event this sign is lost, destroyed, or otherwise removed prior to the completion of the grading work, the applicant shall immediately contact the Land Use Planning Office to obtain a suitable replacement.

T102006 Page 2 of 3

Follow up requirements after grading:

1. All disturbed areas are to be seeded or planted within thirty (30) days of the date grading activities are concluded.

Issued by:

Signed: Adam Barber, Assistant Planner For: Kathy Busse, Planning Director

Date: Wednesday, June 07, 2017

T102006 Page 3 of 3