



## Vicinity Map



- ❖ **DECISION MAKING PROCESS:** The Planning Director will render a decision on this application after the comment period expires. Notice of the Director's decision will be mailed to the applicant, parties within 750 feet of the subject property, and any other persons who submitted written comments during the comment period. The Planning Director's decision can be appealed. An explanation of the requirements for filing an appeal will be included in the notice of decision.
- ❖ **IMPORTANT NOTE:** Failure to raise an issue before the close of the public record in sufficient detail to afford the County and all parties an opportunity to respond may preclude appeal on that issue to the Land Use Board of Appeals.
- ❖ **ENCLOSURES:**
  - Site Plan


### Notice to Mortgagee, Lien Holder, Vendor, or Seller:

ORS chapter 215 requires that if you receive this notice, it must promptly be forwarded to the purchaser.

No.	Date	Revision



Drawn By	Checked By	Project No.




Drawn by: [Name], Engineering Manager, PE No. 16683




**Bull Run Filtration Facility**  
 Erosion and Sediment Control  
 Clearing and Construction  
 Filtration Facility  
 Access from 34319 SE Carpenter Lane

W022229  
 3765 / 3766  
 00-C-306  
 7 of 16



SE Bluff Rd  
 SE Dodge Park Blvd  
 SE Allman Rd  
 SE Bluff Rd



- General Sheet Notes**
- No unsupported timber shales on site.
  - Limit of Disturbance is 1ft from Geohazard line, property line, or SEC-A/R line. Temporary Silt Fence is placed at Limit of Disturbance.
- Sheet Keynotes**
- Install Temporary Silt Fence. See Detail 2 on Sheet 00-C-301.
  - Install Tree Protection Fence. See Detail 1 on Sheet 00-C-302.
  - Install Stabilized Construction Entrance. See Detail 1 on Sheet 00-C-301.
  - Install Wheel Wash. See Detail 3 on Sheet 00-C-301.
  - Protect Existing Fence. Place Temporary Silt Fence minimum 1ft from existing fence.
  - Install Composite Fiber Sock. See Detail 2 on Sheet 00-C-303.
  - Install Straw Wattle. See Detail 2 on Sheet 00-C-303.
  - Install Silt Protection. See Detail 2 on Sheet 00-C-302.

