

PREGNANT PEOPLE

- In rare cases, you could pass the infection to your baby.
- If you have active genital herpes when you go into labor, the provider may do a cesarean delivery (“C-section”).
- Be sure to tell your provider if you or your partner has genital herpes.

IF I HAVE GENITAL HERPES, WHAT DOES THAT MEAN FOR MY PARTNERS?

- Your partners may have genital herpes, too.
- Be sure to tell your recent sex partners, so they can go to their provider to be evaluated and maybe treated.
- Avoid having sex with an uninfected partner when you have visible sores or other symptoms.
- Be aware that even if you don't have symptoms, you can still infect your partners.

a message for everyone PROTECT YOURSELF + YOUR PARTNERS

Always see a provider if you have a partner that is being treated for genital herpes. Also see the provider if you or your sex partners notice any symptoms, such as an unusual sore. If you have genital herpes, you should be tested for other STIs. Be sure to tell your recent sex partners, so they can get tested too. Talk openly and honestly with your partners about genital herpes and other STIs.



For more information, contact:

MULTNOMAH COUNTY STI CLINIC

Phone: 503-988-3700

Address: 619 NW 6th Ave, 2nd Floor • Portland, OR 97209



U.S. Department of
Health and Human Services
Centers for Disease
Control and Prevention



genital herpes

THE FACTS



THE FACTS

- Genital herpes (JEN i tell / HER pees) is a sexually transmitted virus.
- Genital herpes is very common in the U.S.
- Most people who have genital herpes don't know it. There are often no symptoms.
- If you have symptoms, the most common ones are painful blisters and sores.
- You can pass genital herpes to others without knowing it.
- There is no cure for genital herpes, but there are treatments for the symptoms.
- Genital herpes does not usually cause serious health problems.

HOW CAN I LOWER MY RISK FOR GENITAL HERPES?

- The surest way to prevent genital herpes is not to have sex or to have sex only with someone who's not infected and who has sex only with you.
- Condoms can reduce your risk of getting genital herpes if used the right way every single time you have sex. A condom only protects the area of the body that it covers, and areas the condom doesn't cover can still become infected.
- Washing the genitals, urinating, or douching after sex will not prevent any sexually transmitted infection (STI).

HOW DO PEOPLE GET GENITAL HERPES?

- You can get genital herpes by having sex with someone who has it. "Having sex" means having anal, oral, or vaginal sex.
- You can also get genital herpes if your genitals touch the infected skin or secretions (like saliva through oral sex) of someone who has it.
- You can get genital herpes even if your partner shows no signs of the infection.

HOW CAN I FIND OUT IF I HAVE GENITAL HERPES?

Ask a provider. Blood tests may help determine if you have genital herpes.

WHAT ARE THE SYMPTOMS OF GENITAL HERPES?

Genital herpes often doesn't cause any symptoms. If you do have symptoms, you might notice:

- Painful blisters or sores on or around the genitals or anus. These sores typically heal within two to four weeks.
- Feeling like you have the flu when the sores are present.
- Sores that come back several times within a year. The presence of the sores is called an outbreak.

There are two types of genital herpes virus—**HSV1** and **HSV2**. Both types can cause sores or blisters on or around the genitals. HSV1 can also cause sores on the mouth or lips, which are called **fever blisters**.

WHEN SHOULD I BE TESTED?

You should be tested for genital herpes if your partner has genital herpes or symptoms that might be genital herpes.

CAN GENITAL HERPES BE TREATED?

- There is no cure for genital herpes, but there are treatments for its symptoms.
- Some medicines can prevent the blisters or make them go away faster.
- If you have several outbreaks in a year, a treatment called daily suppressive therapy can reduce your chance of passing the infection to your sex partners.

WHAT CAN I EXPECT TO HAPPEN IF I HAVE GENITAL HERPES?

- You can expect to have several outbreaks (usually four or five) a year. Over time you can expect to have fewer outbreaks.
- You have a higher chance of getting an HIV infection if you have unprotected sex with a partner living with HIV.
- Knowing that you have genital herpes may make you feel worried or sad. Talk with a provider about your concerns.