



LUP Hearings &lt;lup-hearings@multco.us&gt;

---

**Written Testimony Regarding: Spring Water "A Natural Functioning System"**

2 messages

---

**Patsy & Ken Carlson** <pkcarlson69@gmail.com>  
To: LUP-Hearings@multco.us

Mon, Apr 14, 2025 at 8:35 AM

**External Sender** - Be Suspicious of Attachments, Links, and Requests for Payment or Login Information.

We have deep concerns in regards to the effects your pipeline down Dodge Park Blvd will have on springs that feed into Beaver Creek. We know of 4 springs in total along Dodge Park Blvd. One spring is the headwater of the south fork of Beaver Creek. The other 3 feed the middle fork of Beaver Creek. Our address is 34163 SE Dodge Park Blvd. Our family has been here for more than 80 years on 20 acres bordering the south side of Dodge Park Blvd. We would like to know what your experts know about these springs and that they will not be disrupted by your pipeline construction. These springs feed water to beaver Creek which as you know provides water to various wildlife along its route. We need to know that these springs will not be rerouted or detoured in any way.

We know that a neighbor relies on water from a spring to water her garden and lawn during the summer months.

Kenneth and Patsy Carlson  
503-957-8518  
[33915 SE Dodge Park Blvd](#)  
[Gresham, OR 97080](#)

Exhibit N.15

---

**LUP Hearings** <lup-hearings@multco.us>  
To: Patsy & Ken Carlson <pkcarlson69@gmail.com>

Mon, Apr 14, 2025 at 8:37 AM

Hello,

We have received your comment and added it to the record in the case. Thank you.

Best regards,  
Land Use Planning

---

**Multnomah County**  
Department of Community Services - Land Use Planning Division  
1600 SE 190th Ave., Portland OR 97233  
T: 503-988-3043  
E: [lup-hearings@multco.us](mailto:lup-hearings@multco.us)  
<https://multco.us/landuse>

[Quoted text hidden]