

TRAUMA PROTOCOL

EMSAB

Trauma Protocol EMSAB - Section 60.000

Trauma System Patient Entry Criteria	60.010
Medical Direction	60.020
Communications.....	60.030
Transport Protocol	60.040
Mode of Transport	60.050
Recommended Air Ambulance Response Zones.....	60.060
Patient Evaluation Protocol	60.070
Scene Time	60.090
Designated Hospitals, Trauma Line Map	60.100

RED CRITERIA**High Risk for Serious Injury****Injury Patterns**

- Penetrating injuries to head, neck, torso, and proximal extremities
- Skull deformity, suspected skull fracture
- Suspected spinal injury with new motor or sensory loss
- Chest wall instability, deformity, or suspected flail chest
- Suspected pelvic fracture
- Suspected fracture of two or more proximal long bones
- Crushed, degloved, mangled or pulseless extremity
- Amputation proximal to wrist or ankle
- Active bleeding requiring a tourniquet or wound packing with continuous pressure

Mental Status & Vital Signs**All Patients**

- Unable to follow commands (motor GCS < 6)
- RR < 10 or > 29 breaths/min
- Respiratory distress or need for respiratory support
- Room-air pulse oximetry < 90%

Age 0 - 9 years

- SBP < 70 mmHg + (2 x age in years)

Age 10 - 64 years

- SBP < 90 mmHg or
- HR > SBP

Age ≥ 65 years

- SBP < 110 mmHg or
- HR > SBP

Patients meeting any of the above RED criteria should be transported to the highest-level trauma center available.

Yellow CRITERIA**Moderate for Serious Injury****Injury Patterns**

- High-Risk Auto Crash
 - Partial or complete ejection
 - Significant intrusion (including roof)
 - > 12 inches occupant site OR
 - > 18 inches any site OR
 - Need for extrication for entrapped patient
 - Death in passenger compartment
 - Child (age 0 - 9 years) unrestrained or in unsecured child safety seat
 - Vehicle telemetry data consistent with severe injury
- Rider separated from transport vehicle with significant impact (e.g. motorcycle, ATV, horse, etc.)
- Pedestrian/bicycle rider thrown, run over, or with significant impact
- Fall from height > 10 feet (all ages)

EMS Judgement**Consider risk factors, including:**

- Low-level falls in young children (age ≤ 5 years) or older adults (age ≥ 65 years) with significant head impact
- Anticoagulant use
- Suspicion of child abuse
- Special, high-resource healthcare needs
- Pregnancy > 20 weeks
- Burns in conjunction with trauma
- Children should be triaged preferentially to pediatric capable centers

If concerned, take to a trauma center

Patients meeting all of the above YELLOW CRITERIA WHO DO NOT MEET RED CRITERIA should be transported to a trauma center (depending on EMSAB plan, need not be the highest-level trauma center). Consider burn and pediatric capabilities as appropriate.

Medical Direction

- A.** Off-line medical direction for trauma patients is controlled by the BLS or ALS protocols as adopted by EMSAB, the EMS agencies, and the EMS Medical Directors.
- B.** On-Line Medical Control (OLMC) is controlled by the TCC and its protocols.
- C.** On-Line Medical Control is the responsibility of the Level-3 or Level-4 Trauma Centers in their service areas¹.
- D.** On-Line Medical Control shall override off-line medical direction. Any instances where this occurs will be reported to the System Audit Group (SAG) of EMSAB.

¹These service areas are: Tillamook Hospital for Tillamook County; Columbia Memorial Medical Center for Clatsop County; and Newberg Hospital for Yamhill County.

Communications

- A. Communications from the EMS Provider at the scene to the TCC:
1. It is essential that early communications be established with the TCC concerning trauma patient(s).
 2. After assessing a trauma situation and making the determination that the patient should enter the Trauma System, the EMS Provider who is designated will contact the TCC by 800 MHz (on the TRAUMA talkgroup); the HEAR System; or cellular phone at the earliest practical time.
 3. The EMS Provider shall provide the TCC with the following information:
 - a. Unit number, identity, and certification level of person making contact.
 - b. Location of the incident, street address if appropriate.
 - c. Number of patients. Follow *Multiple Casualty Incident* protocol, if applicable.
 - d. Age and sex of the patient(s).
 - e. Trauma System entry criteria (be as specific as possible).
 - f. Trauma Band number(s).
 - g. Patient(s) vital signs, specify if **not taken** or **not present**.
 - h. Approximate ETA of patient(s) to Trauma Center; include loading time if appropriate.
 - i. Unit number and mode and priority of transport.
 - j. Patient destination based on incident location or request.
- B. Communications from the TCC or from On-Line Medical Control (Level-III or Level-IV Trauma Centers) to EMS Providers in the field:
1. The TCC will inform the EMS Provider if more information is needed by the receiving trauma center.
 2. The TCC will inform the EMS Provider if the destination trauma center is unable to receive the patient and will assist in designating an alternate destination.
 3. If the EMS Provider contacting the TCC needs OLMC regarding care of the trauma patient, a physician at the TCC will offer direction using the EMSAB approved *Trauma* protocol as a guide.
- C. Level-I trauma centers will be notified immediately by the TCC when a trauma patient has been identified and is bound for their facility.
1. Level-I trauma centers are encouraged to monitor the (Portland) 800 MHz **Trauma** talkgroup to ensure early notification when ambulances have short transport times.
 2. **At No Time** will the Level-I facility transmit on the **Trauma** talkgroup.
 3. If more information is needed, communications shall be directed through the TCC.
- D. Level-I trauma centers are responsible for notifying the TCC if they are unable to accept a trauma patient directed to their facility because of unexpected or expected patient arrivals or multiple patient scenes. Level-1 trauma centers should be prepared to make this notification immediately in order to facilitate the re-direct of ground or air ambulances.

- E.** Communications from the TCC, or from On-Line Medical Control (Level-III or Level-IV Trauma Centers), to the receiving trauma center:
- 1.** Estimated time of arrival at the trauma center.
 - 2.** Location of the incident.
 - 3.** Number of patients en route to the trauma center.
 - 4.** Age and sex.
 - 5.** Trauma System entry criteria (also a brief description of each patient(s) condition).
 - 6.** Trauma Band number(s).
 - 7.** Patient vitals signs, specify if **not taken** or **not present**.
 - 8.** Unit number and mode of transport for each patient.
 - 9.** Any other pertinent information received from the scene.

Transport Protocol

- A. All Trauma System entry patients should be transported to the closest Trauma Center unless advised by OLMC or under the following circumstances:
1. If unable to establish and maintain an airway, the nearest hospital is appropriate to obtain definitive airway control.
 - a. In this event, the TCC shall be contacted by the EMS Providers.
 - b. The TCC will contact the receiving facility with patient information and ETA.
 2. A Level-III hospital is appropriate if the expected scene and transport time to a Level-I facility is greater than 30 minutes and the Level-III hospital is closer.
 3. A Level-IV hospital is appropriate for immediate evaluation and stabilization if the expected scene and transport time to a Level-I, -II or -III is greater than 30 minutes and the Level-IV hospital is closer.
- B. For Clackamas, Columbia, Multnomah and Washington Counties, the designated trauma center destination from the scene, if by ground ambulance, is to be determined based on the following criteria:

Emanuel Hospital Service Area: Patient origin **on or north** of Tualatin Valley Highway beginning at the west city limits of Hillsboro, to Canyon Rd., Canyon Rd. to Highway 26, to I-405, to NW Lovejoy St., across the Broadway Bridge to the east bank of the Willamette River to E. Burnside St. From this point, all patients **north of but not on** the following line are to be transported to Emanuel: East on E. Burnside St. to NE Sandy Bv.; Sandy Bv. to its intersection with Glisan St. at 21st Av.; then east on Glisan St. to 242nd Av. in Gresham (see map).

University Hospital Service Area: Patient origin **on or south** of Glisan St. beginning at 242nd Av. in Gresham, west on Glisan St. to Sandy Bv. to its intersection with 21st Av.; Sandy Bv. to E Burnside St.; then west on E. Burnside St. to the east bank of the Willamette River, north along the river bank to the Broadway Bridge, then **south of but not including** the Broadway Bridge, west to Lovejoy St., to I-405, and then **south of, but not on Highway 26**, to Canyon Rd, to Tualatin Valley Highway, to the west city limits of Hillsboro (see map).

1. Patient or Guardian request: If the alert, unimpaired patient, or his/her unimpaired guardian, demands transport to a specific trauma hospital the EMS Provider must honor that request and notify the TCC immediately. Any deviation from this transport protocol must be fully documented.
2. Outside of Catchment Area: If the trauma system patient is being transported from a scene outside of the service areas described above, the patient destination is to be the Level-I Trauma Center in whose service area the main thoroughfare used by the ambulance to enter Portland is located.

- 3.** Multiple Patients: In the event that multiple patients are to be transported from the same scene, all patient destinations are to be assigned to the above service areas, with the following exceptions:
 - a.** The designated trauma center advised the TCC that the facility cannot accept and care for additional patients. The TCC will assist the EMS Providers in determining patient destinations.
 - b.** If there are more than two unstable trauma patients ready to be transported from the same scene, the first two will go to the Level-I facility designated by the above service area, and TCC will direct the next two patient to the other Level-I hospital.
- C.** If the patient is transported from the scene by helicopter ambulance, the destination will be determined by the flight crew using the following criteria:
 - 1.** Regardless of patient origin, the patient destination is, generally, to be alternated between the designated Level-I Trauma Centers.
 - 2.** If two patients are transported in the same flight, they will both be brought to the same Level-I Trauma Center (based on rotation).
 - 3.** In the event that the designated Level-I Trauma Center, which is to be the patient destination, is unable to accept the patient(s), the TCC will assist the flight crew in determining patient destination.

Mode of Transport

Helicopter ambulance services should be used if it has the potential to save 10 minutes in the patient's prehospital time. See "Recommended Air Ambulance Response Zones" map for information regarding area where use of the air ambulance may save time. This information is not intended to define an area in which a helicopter may not be used since there are exceptions based on major arterial routes, time of day, weather, and other factors especially close to the lines. Judgement should be used, based on specific scene circumstances.

A. Inner "Limited Use" Zone: [up to 15 nautical miles]

Possible exceptions which might warrant use of the helicopter:

1. Multiple patient incident.
2. Extended extrication, resulting in extended scene times.
3. Traffic impediments, such as snowy or icy roads, commuter traffic congestion, and obstructed scene.
4. High system demands.
5. Difficulty for ground ambulance access to the scene.

B. Outer Zone: [over 15 nautical miles]


Special considerations:

1. Inclement weather that may prevent flight, (snow, ice, fog, etc.).
2. Helicopter may be unavailable.
3. Consider Landing Zone proximity to the scene and consideration of an intermediate rendezvous point between the scene and hospital.
4. On main arterial roads, consider possibility that the helicopter may not be able to save time.
5. It may be appropriate to activate the helicopter and to cancel if the patient is packaged, the ambulance is ready to transport, and the helicopter is not on scene.
6. The helicopter may have multiple, simultaneous calls for service and may need to triage use.

Dispatch Procedure:

- A. Standby or activation of helicopter ambulance services will be requested through "Dispatch." (BOEC in Multnomah County.)
- B. Any person who has had first aid or medical training may put helicopter ambulance services on standby.
- C. Only emergency responders may activate helicopter ambulance services, requesting the helicopter through EMS Dispatch.
- D. Units may cancel helicopter ambulance services if it is determined that they are not needed on scene.

Recommended Air Ambulance Response Zones



Patient Evaluation Protocol


Trauma treatment priority should be approached in this order:

- A.** Control exsanguinating hemorrhage.
- B.** Airway maintenance (including control of the cervical spine). If unable to establish and maintain an adequate airway, the patient should be transported to the nearest acute care facility to obtain definitive airway control.
- C.** Breathing.
- D.** Control of circulation.
- E.** Treatment of shock.
- F.** Splinting of fractures.
- G.** Neurological examinations.
- H.** Detailed patient assessment.

Scene Time

- A.** After gaining access to the patient, scene time should not exceed ten (10) minutes for any patient who is entered into the Trauma System.
- B.** Plan to start vascular access and initiate other care once en route to the Trauma Center.

EMSAB Trauma Designated Hospitals



EMS1 Designated Trauma Hospitals:

Level I Legacy Emanuel Medical Center; Portland, OR
 Oregon Health & Sciences University Hospital; Portland, OR

Level II PeaceHealth Southwest Medical Center; Vancouver, WA

Level III PeaceHealth St. Johns Medical Center; Longview, WA

Level IV Adventist Health Tillamook Hospital; Tillamook, OR
 Columbia Memorial Hospital; Astoria, OR
 Providence Newberg Medical Center; Newberg, OR
