



## Bull Run Filtration Project

1 message

**Bob Wilson** <bobwilson5705@frontier.com>  
To: lisa.m.estrin@multco.us

Sun, Jun 11, 2023 at 2:07 PM



**External Sender** - Be Suspicious of Attachments, Links, and Requests for Payment or Login Information.

Hello, Lisa:

I live on the corner of Altman Rd. and Pipeline Rd. I understand that a New Pipeline Intertie will be installed West of the intersection (of Pipeline and Altman) and will require a permanent easement or acquisition as described in the October 2020 Project Definition Report. My main driveway opens on Altman Rd. with secondary access to Pipeline Rd. The relevant text is here copy/past below. (my emphasis)

### Pipeline Road Intertie

Located west of the SE Altman Road and SE Pipeline Road intersection, the Pipeline Road Intertie will allow FW Alt 3 and the optional segment of FW Alt 5A to connect to conduits 2 and 4. This intertie will include flow control valves and metering for downstream conduits and **require a permanent easement or property acquisition of approximately 14,000 square feet.**

Can you please direct me to additional detail if it exists, such as where the easement/acquisition would be located and what its shape would be so that I can understand the impact if any, on my property access and future salability value.

I have searched the extant library documentation to exhaustion and need some direction.

Thanks.

5705 SE Altman Rd.  
Gresham, OR 97080  
bobwilson5705@frontier.com

\* \* \* \* \*

Bob Wilson